

Full Report (All Nutrients) 09316, Strawberries, raw
Report Date: January 20, 2019 20:48 EST

Nutrient values and weights are for edible portion.

Food Group : Fruits and Fruit Juices

Carbohydrate Factor: 3.6 Fat Factor: 8.37 Protein Factor:3.36 Nitrogen to Protein Conversion Factor:6.25
Refuse:6% Refuse Description: Caps and stems

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
Proximates														
Water 1 2 3 4 5 7 8	g	90.95	23	0.210	138.24	211.00	150.98	130.97	24.56	16.37	10.91	324.69	6.37	133.70
Energy	kcal	32	--	--	49	74	53	46	9	6	4	114	2	47
Energy	kJ	136	--	--	207	316	226	196	37	24	16	486	10	200
Protein 1 2 3 4 5	g	0.67	19	0.020	1.02	1.55	1.11	0.96	0.18	0.12	0.08	2.39	0.05	0.98
Total lipid (fat) 1 2 3 4 5	g	0.30	15	0.040	0.46	0.70	0.50	0.43	0.08	0.05	0.04	1.07	0.02	0.44
Ash 1 2 3 4 5	g	0.40	19	0.020	0.61	0.93	0.66	0.58	0.11	0.07	0.05	1.43	0.03	0.59
Carbohydrate, by difference	g	7.68	--	--	11.67	17.82	12.75	11.06	2.07	1.38	0.92	27.42	0.54	11.29
Fiber, total dietary 1 2 3 4 5 8 9	g	2.0	21	0.100	3.0	4.6	3.3	2.9	0.5	0.4	0.2	7.1	0.1	2.9
Sugars, total	g	4.89	--	--	7.43	11.34	8.12	7.04	1.32	0.88	0.59	17.46	0.34	7.19
Sucrose 2 3 6 7	g	0.47	15	0.320	0.71	1.09	0.78	0.68	0.13	0.08	0.06	1.68	0.03	0.69
Glucose (dextrose) 2 3 5 6 7	g	1.99	16	0.190	3.02	4.62	3.30	2.87	0.54	0.36	0.24	7.10	0.14	2.93
Fructose 2 3 5 6 7	g	2.44	16	0.190	3.71	5.66	4.05	3.51	0.66	0.44	0.29	8.71	0.17	3.59
Lactose 2 3 6	g	0.00	12	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Maltose 2 3 6	g	0.00	12	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Galactose 2 3 6	g	0.00	10	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Starch 2 3	g	0.04	8	0.020	0.06	0.09	0.07	0.06	0.01	0.01	0.00	0.14	0.00	0.06

Minerals

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
Calcium, Ca 2 3 4 6 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	16	73	0.000	24	37	27	23	4	3	2	57	1	24
Iron, Fe 2 3 4 6 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	0.41	77	0.020	0.62	0.95	0.68	0.59	0.11	0.07	0.05	1.46	0.03	0.60
Magnesium, Mg 2 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	13	74	0.000	20	30	22	19	4	2	2	46	1	19
Phosphorus, P 2 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	24	73	0.000	36	56	40	35	6	4	3	86	2	35
Potassium, K 1 2 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	153	76	4.000	233	355	254	220	41	28	18	546	11	225
Sodium, Na 1 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	1	72	0.000	2	2	2	1	0	0	0	4	0	1
Zinc, Zn 2 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	0.14	74	0.010	0.21	0.32	0.23	0.20	0.04	0.03	0.02	0.50	0.01	0.21
Copper, Cu 2 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	0.048	70	0.004	0.073	0.111	0.080	0.069	0.013	0.009	0.006	0.171	0.003	0.071
Manganese, Mn 2 3 4 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27	mg	0.386	73	0.018	0.587	0.896	0.641	0.556	0.104	0.069	0.046	1.378	0.027	0.567
Selenium, Se 3	µg	0.4	2	--	0.6	0.9	0.7	0.6	0.1	0.1	0.0	1.4	0.0	0.6
Fluoride, F 28 29	µg	4.4	10	0.400	6.7	10.2	7.3	6.3	1.2	0.8	0.5	15.7	0.3	6.5
Vitamins														
Vitamin C, total ascorbic acid 1 2 4	mg	58.8	9	2.400	89.4	136.4	97.6	84.7	15.9	10.6	7.1	209.9	4.1	86.4
Thiamin 2 3 4	mg	0.024	12	0.003	0.036	0.056	0.040	0.035	0.006	0.004	0.003	0.086	0.002	0.035
Riboflavin 2 3 4	mg	0.022	12	0.008	0.033	0.051	0.037	0.032	0.006	0.004	0.003	0.079	0.002	0.032
Niacin 2 3 4	mg	0.386	12	0.037	0.587	0.896	0.641	0.556	0.104	0.069	0.046	1.378	0.027	0.567
Pantothenic acid 2 3 4	mg	0.125	12	0.003	0.190	0.290	0.207	0.180	0.034	0.022	0.015	0.446	0.009	0.184

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
Vitamin B-6 2 3 4	mg	0.047	12	0.012	0.071	0.109	0.078	0.068	0.013	0.008	0.006	0.168	0.003	0.069
Folate, total 30 31	µg	24	3	5.000	36	56	40	35	6	4	3	86	2	35
Folic acid	µg	0	--	--	0	0	0	0	0	0	0	0	0	0
Folate, food a	µg	24	3	5.000	36	56	40	35	6	4	3	86	2	35
Folate, DFE	µg	24	--	--	36	56	40	35	6	4	3	86	2	35
Choline, total 2	mg	5.7	--	--	8.7	13.2	9.5	8.2	1.5	1.0	0.7	20.3	0.4	8.4
Betaine 2	mg	0.2	1	--	0.3	0.5	0.3	0.3	0.1	0.0	0.0	0.7	0.0	0.3
Vitamin B-12	µg	0.00	--	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Vitamin B-12, added	µg	0.00	--	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Vitamin A, RAE 2 4	µg	1	6	0.000	2	2	2	1	0	0	0	4	0	1
Retinol	µg	0	--	--	0	0	0	0	0	0	0	0	0	0
Carotene, beta 2 3 4	µg	7	8	0.000	11	16	12	10	2	1	1	25	0	10
Carotene, alpha 2 3	µg	0	6	0.000	0	0	0	0	0	0	0	0	0	0
Cryptoxanthin, beta 2 3	µg	0	6	0.000	0	0	0	0	0	0	0	0	0	0
Vitamin A, IU 2 4	IU	12	6	0.000	18	28	20	17	3	2	1	43	1	18
Lycopene 2 3	µg	0	6	0.000	0	0	0	0	0	0	0	0	0	0
Lutein + zeaxanthin 2 3	µg	26	6	8.000	40	60	43	37	7	5	3	93	2	38
Vitamin E (alpha-tocopherol) 2 3	mg	0.29	8	0.020	0.44	0.67	0.48	0.42	0.08	0.05	0.03	1.04	0.02	0.43
Vitamin E, added	mg	0.00	--	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tocopherol, beta 2 3	mg	0.01	8	0.002	0.02	0.02	0.02	0.01	0.00	0.00	0.00	0.04	0.00	0.01
Tocopherol, gamma 2 3	mg	0.08	8	0.010	0.12	0.19	0.13	0.12	0.02	0.01	0.01	0.29	0.01	0.12
Tocopherol, delta 2 3	mg	0.01	8	0.005	0.02	0.02	0.02	0.01	0.00	0.00	0.00	0.04	0.00	0.01
Tocotrienol, alpha 2 3	mg	0.01	8	0.000	0.02	0.02	0.02	0.01	0.00	0.00	0.00	0.04	0.00	0.01
Tocotrienol, beta 2 3	mg	0.00	8	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tocotrienol, gamma 2 3	mg	0.00	8	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Tocotrienol, delta 2 3	mg	0.00	8	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Vitamin D (D2 + D3)	µg	0.0	--	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vitamin D	IU	0	--	--	0	0	0	0	0	0	0	0	0	0
Vitamin K (phylloquinone) 2 3 32	µg	2.2	9	0.200	3.3	5.1	3.7	3.2	0.6	0.4	0.3	7.9	0.2	3.2
Lipids														
Fatty acids, total saturated	g	0.015	--	--	0.023	0.035	0.025	0.022	0.004	0.003	0.002	0.054	0.001	0.022

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
4:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
6:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
8:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
10:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
12:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
14:0	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
16:0	g	0.012	2	--	0.018	0.028	0.020	0.017	0.003	0.002	0.001	0.043	0.001	0.018
18:0	g	0.003	2	--	0.005	0.007	0.005	0.004	0.001	0.001	0.000	0.011	0.000	0.004
Fatty acids, total monounsaturated	g	0.043	--	--	0.065	0.100	0.071	0.062	0.012	0.008	0.005	0.154	0.003	0.063
16:1 undifferentiated	g	0.001	2	--	0.002	0.002	0.002	0.001	0.000	0.000	0.000	0.004	0.000	0.001
18:1 undifferentiated	g	0.042	2	--	0.064	0.097	0.070	0.060	0.011	0.008	0.005	0.150	0.003	0.062
20:1	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22:1 undifferentiated	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Fatty acids, total polyunsaturated	g	0.155	--	--	0.236	0.360	0.257	0.223	0.042	0.028	0.019	0.553	0.011	0.228
18:2 undifferentiated	g	0.090	2	--	0.137	0.209	0.149	0.130	0.024	0.016	0.011	0.321	0.006	0.132
18:3 undifferentiated	g	0.065	2	--	0.099	0.151	0.108	0.094	0.018	0.012	0.008	0.232	0.005	0.096
18:4	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20:4 undifferentiated	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
20:5 n-3 (EPA)	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22:5 n-3 (DPA)	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
22:6 n-3 (DHA)	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Fatty acids, total trans	g	0.000	--	--	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cholesterol	mg	0	--	--	0	0	0	0	0	0	0	0	0	0
Phytosterols	mg	12	--	--	18	28	20	17	3	2	1	43	1	18
Amino Acids														
Tryptophan	g	0.008	--	--	0.012	0.019	0.013	0.012	0.002	0.001	0.001	0.029	0.001	0.012
Threonine	g	0.020	--	--	0.030	0.046	0.033	0.029	0.005	0.004	0.002	0.071	0.001	0.029
Isoleucine	g	0.016	--	--	0.024	0.037	0.027	0.023	0.004	0.003	0.002	0.057	0.001	0.024
Leucine	g	0.034	--	--	0.052	0.079	0.056	0.049	0.009	0.006	0.004	0.121	0.002	0.050
Lysine	g	0.026	--	--	0.040	0.060	0.043	0.037	0.007	0.005	0.003	0.093	0.002	0.038
Methionine	g	0.002	--	--	0.003	0.005	0.003	0.003	0.001	0.000	0.000	0.007	0.000	0.003
Cystine	g	0.006	--	--	0.009	0.014	0.010	0.009	0.002	0.001	0.001	0.021	0.000	0.009

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
Phenylalanine	g	0.019	--	--	0.029	0.044	0.032	0.027	0.005	0.003	0.002	0.068	0.001	0.028
Tyrosine	g	0.022	--	--	0.033	0.051	0.037	0.032	0.006	0.004	0.003	0.079	0.002	0.032
Valine	g	0.019	--	--	0.029	0.044	0.032	0.027	0.005	0.003	0.002	0.068	0.001	0.028
Arginine	g	0.028	--	--	0.043	0.065	0.046	0.040	0.008	0.005	0.003	0.100	0.002	0.041
Histidine	g	0.012	--	--	0.018	0.028	0.020	0.017	0.003	0.002	0.001	0.043	0.001	0.018
Alanine	g	0.033	--	--	0.050	0.077	0.055	0.048	0.009	0.006	0.004	0.118	0.002	0.049
Aspartic acid	g	0.149	--	--	0.226	0.346	0.247	0.215	0.040	0.027	0.018	0.532	0.010	0.219
Glutamic acid	g	0.098	--	--	0.149	0.227	0.163	0.141	0.026	0.018	0.012	0.350	0.007	0.144
Glycine	g	0.026	--	--	0.040	0.060	0.043	0.037	0.007	0.005	0.003	0.093	0.002	0.038
Proline	g	0.020	--	--	0.030	0.046	0.033	0.029	0.005	0.004	0.002	0.071	0.001	0.029
Serine	g	0.025	--	--	0.038	0.058	0.042	0.036	0.007	0.005	0.003	0.089	0.002	0.037
Other														
Alcohol, ethyl	g	0.0	--	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Caffeine	mg	0	--	--	0	0	0	0	0	0	0	0	0	0
Theobromine	mg	0	--	--	0	0	0	0	0	0	0	0	0	0
Flavonoids														
Anthocyanidins														
Cyanidin 33 34 35 36 37 38 , 39 40 41 42 43 44	mg	1.7	156	0.06	2.6	3.9	2.8	2.4	0.5	0.3	0.2	6.0	0.1	2.5
Petunidin 37 38 44	mg	0.1	9	0.11	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.4	0.0	0.2
Delphinidin 35 37 38	mg	0.3	9	0.29	0.5	0.7	0.5	0.4	0.1	0.1	0.0	1.1	0.0	0.5
Malvidin 37 38	mg	0.0	8	0.01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pelargonidin 33 34 36 37 38 , 39 40 41 42 43 44	mg	24.9	151	0.7	37.8	57.7	41.3	35.8	6.7	4.5	3.0	88.7	1.7	36.5
Peonidin 37 38	mg	0.1	8	0.05	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.1
Flavan-3-ols														
(+)-Catechin 37 39 41 45 46 , 47 48 49	mg	3.1	31	0.19	4.7	7.2	5.2	4.5	0.8	0.6	0.4	11.1	0.2	4.6
(-)-Epigallocatechin 37 45 , 47	mg	0.8	13	0.35	1.2	1.8	1.3	1.1	0.2	0.1	0.1	2.8	0.1	1.1
(-)-Epicatechin 37 39 41 45 , 46 47 49	mg	0.4	30	0.13	0.6	1.0	0.7	0.6	0.1	0.1	0.1	1.5	0.0	0.6
(-)-Epicatechin 3-gallate 37 , 45 47	mg	0.1	13	0.03	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.5	0.0	0.2

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
(-)-Epigallocatechin 3-gallate 37 45 47	mg	0.1	13	0.07	0.2	0.3	0.2	0.2	0.0	0.0	0.0	0.4	0.0	0.2
(+)-Galocatechin 37 45 47	mg	0.0	12	0.01	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Flavanones														
Hesperetin 37	mg	0.0	6	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Naringenin 37 48	mg	0.3	7	0.26	0.4	0.6	0.4	0.4	0.1	0.0	0.0	0.9	0.0	0.4
Flavones														
Apigenin 35 37 50 51 52	mg	0.0	21	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Luteolin 35 37 50 51 52 53	mg	0.0	18	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Flavonols														
Isorhamnetin 39	mg	0.0	1	--	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Kaempferol 33 35 39 41 42 43 46 48 50 51 52 53 54 55 56 57 58	mg	0.5	135	0.01	0.8	1.2	0.8	0.7	0.1	0.1	0.1	1.8	0.0	0.7
Myricetin 35 37 50 52 53 55 58	mg	0.0	24	0.04	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1
Quercetin 33 35 37 39 41 43 46 48 50 51 52 53 54 55 56 57 58	mg	1.1	118	0.04	1.7	2.6	1.8	1.6	0.3	0.2	0.1	4.0	0.1	1.6
Isoflavones														
Daidzein 63 64 65 66	mg	0.00	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Genistein 63 64 65 66	mg	0.00	4	0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Glycitein 66	mg	0.00	1	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total isoflavones 63 64 65 66	mg	0.00	4	0	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00
Formononetin	mg	0.00	1	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Coumestrol	mg	0.00	1	--	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Proanthocyanidin														
Proanthocyanidin dimers 59 60 61 62	mg	5.2	16	2.27	7.9	12.1	8.6	7.5	1.4	0.9	0.6	18.6	0.4	7.7
Proanthocyanidin trimers 59 60 61	mg	5.7	15	2.23	8.6	13.1	9.4	8.2	1.5	1.0	0.7	20.2	0.4	8.3
Proanthocyanidin 4-6mers 60 61	mg	23.3	12	8.94	35.4	54.1	38.7	33.6	6.3	4.2	2.8	83.3	1.6	34.3

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 152g	1 cup, pureed 232g	1 cup, sliced 166g	1 cup, whole 144g	1 extra large (1-5/8" dia) 27g	1 large (1-3/8" dia) 18g	1 medium (1-1/4" dia) 12g	1 pint as purchased, yields 357g	1 small (1" dia) 7g	1 NLEA serving 147g
Proanthocyanidin 7-10mers 60 61	mg	16.9	12	10.83	25.6	39.1	28.0	24.3	4.6	3.0	2.0	60.2	1.2	24.8
Proanthocyanidin polymers (>10mers) 60 61	mg	54.2	12	33.83	82.4	125.7	89.9	78.0	14.6	9.8	6.5	193.4	3.8	79.6

Sources of Data

- ¹Nutrient Data Laboratory, ARS, *USDA National Food and Nutrient Analysis Program Wave 6k*, 2002 Beltsville MD
- ²Nutrient Data Laboratory, ARS, *USDA National Food and Nutrient Analysis Program Wave 4d*, 2001 Beltsville MD
- ³Nutrient Data Laboratory, ARS, *USDA National Food and Nutrient Analysis Program Wave 5L*, 2001 Beltsville MD
- ⁴Produce Marketing Association (PMA) *Nutrient Content of Strawberries*, 1989
- ⁵Nutrient Data Laboratory, ARS, *USDA Investigation of the carbohydrate fraction of foods . . . raw, processed and prepared*, 1985 Beltsville MD
- ⁶California Strawberry Commission *Analyses for nutrition labeling of strawberries*, 2005 Watsonville CA
- ⁷Nutrient Data Laboratory, ARS, *USDA Variability of the sugar content of foods*, 1989 Beltsville MD
- ⁸J Marlett *Content and composition of dietary fiber in 117 frequently consumed foods*, 1992 Journal of the American Dietetic Association 92 2
- ⁹National Cancer Institute (NCI), *DHHS Total dietary fiber content of selected foods*, 1992
- ¹⁰Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1995
- ¹¹Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1996
- ¹²Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1997
- ¹³Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1982
- ¹⁴Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1983
- ¹⁵Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1984
- ¹⁶Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1985
- ¹⁷Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1986
- ¹⁸Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1987
- ¹⁹Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1988
- ²⁰Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1998
- ²¹Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1999
- ²²Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1991
- ²³Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1992
- ²⁴Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1989
- ²⁵Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1990
- ²⁶Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1993
- ²⁷Food and Drug Administration (FDA), *DHHS FDA Total Diet Study*, 1994
- ²⁸Robert Ophaug **Fluoride, Unpublished - Ophaug**, Microdiffision
- ²⁹RD Jackson, EJ Brizendine, SA Kelly, R Hinesley, GK Stookey, AJ Dunipace *The fluoride content of foods and beverages from negligibly and optimally fluoridated communities.*, 2002 Community Dental Oral Epidemiology 30 5 pp.382-391
- ³⁰R.J. Pawlosky, V.P. Flanagan, R.F. Doherty *A Mass Spectrometric Validated High-Performance Liquid Chromatography Procedure for the Determination of Folates in Foods*, 2003 Journal of Agricultural and Food Chemistry
- ³¹Nutrient Data Laboratory, ARS, *USDA Food Analysis Laboratory and Control Center Folate Stability Study*, 2002 Beltsville MD
- ³²S.L. Booth, J.A. Sadowski, J.A. T. Pennington *Phylloquinone (Vitamin K) Content of Foods in the U.S. Food and Drug Administration's Total Diet Study*, 1995 Journal of Agricultural and Food Chemistry 43 6 pp.1574-1579
- ³³Buenda, B., Gil, M. I., Tudela, J. A., Gady, A. L., Medina, J. J., Soria, C., Lopez, J. M., and Tomas-Barbern, F. A. *PLC-MS analysis of proanthocyanidin oligomers and other phenolics in 15 strawberry cultivars.*, 2010 J. Agric. Food Chem. 58 pp.3916-3926
- ³⁴da Silva, F. L., Escribano-Bailn, M. T., Prez-Alonso, J. J., Ricas-Gonzalo, J. C., and Santos-Buelga, C. *Anthocyanin pigments in strawberry.*, 2007 LWT 40 pp.374-382
- ³⁵Franke, A.A., Custer, L.J., Arakaki, C., and Murphy, S.P. *Vitamin C and flavonoid levels of fruits and vegetables consumed in Hawaii.*, 2004 J. Food Comp. Anal. 17 pp.1-35
- ³⁶Garcia-Viguera, C., Zafrilla, P., and Tomas-Barbern, F.A. *The use of acetone as an extraction solvent for anthocyanins from strawberry fruit.*, 1998 Phytochem. Anal. 9 pp.274-277
- ³⁷Harnly, J. M., Doherty, R., Beecher, G. R., Holden, J. M., Haytowitz, D. B., and Bhagwat, S., and Gebhardt S. *Flavonoid content of U.S. fruits, vegetables, and nuts*, 2006 J. Agric. Food Chem. 54 pp.9966-9977
- ³⁸Hosseinian, F. S. and Beta, T. *Saskatoon and wild blueberries have higher anthocyanin contents than other Manitoba berries.*, 2007 J. Agric. Food Chem. 55 pp.10832-10838
- ³⁹Mt, K. R., Kamal-Eldin, A., and Torronen, A.R. *Identification and classification of phenolic compounds in berries of Fragaria and Rubus species (family Rosaceae).*, 2004 J. Agric. Food Chem. 52 pp.6178-6187

- ⁴⁰Nyman, N. A. and Kumpulainen, J. T. **Determination of anthocyanins in berries and red wine by high-performance liquid chromatography.**, 2001 J. Agric. Food Chem. 49 pp.4183-4187
- ⁴¹Pinto, M. D. S., Lajolo, F. M., and Genovese, M. I. **Bioactive compounds and quantification of total ellagic acid in strawberries (Fragaria x ananasa Duch.).**, 2008 Food Chemistry 107 pp.1629-1635
- ⁴²Wang, S.Y., and Lin, H-S. **Compost as a soil supplement increases the level of antioxidant compounds and oxygen radical absorbance capacity in strawberries**, 2003 J. Agric. Food Chem. 51 pp.6844-6850
- ⁴³Wang, S.Y., Zheng, W., and Galleta, G. **Cultural system affects fruit quality and antioxidant capacity in strawberries.**, 2002 J. Agric. Food Chem. 50 pp.6534-6542
- ⁴⁴Wu, X., Beecher, G. R., Holden, J. M., Haytowitz, D. B., Gebhardt, S. E., and Prior, R. L. **Concentrations of anthocyanins in common foods in the United States and estimation of normal consumption.** , 2006 J. Agric. Food Chem. 54 pp.4069-4075
- ⁴⁵Arts, I. C. W., van de Putte, B., and Hollman, P. C. H. **Catechin content of foods commonly consumed in the Netherlands. 1. Fruits, vegetables, staple foods and processed foods.**, 2000 J. Agric. Food Chem. 48 pp.1746-1751
- ⁴⁶Breitfellner, F., Solar, S., and Sontag, G. **Radiation induced chemical changes of phenolic compounds in strawberries.**, 2003 Radiat. Phys. Chem. 67 pp.497-499
- ⁴⁷de Pascual-Teresa, S., Santos-Buelga, C., & Rivas-Gonzalo, J.C. **Quantitative analysis of flavan-3-ols in Spanish foodstuffs and beverages.**, 2000 J. Agric. Food Chem. 48 pp.5331-5337
- ⁴⁸Herrera, M.C., and de Castro, M.D.L. **Ultrasound-assisted extraction for the analysis of phenolic compounds in strawberries.**, 2004 Anal. Bioanal. Chem. 379 7-8 pp.1106-1112
- ⁴⁹Tsanova-Savova, S., Ribarova, F., and Gerova, M. **(+)-Catechin and (-)-Epicatechin in Bulgarian fruits.**, 2005 J. Food Comp. Anal. 18 pp.691-698
- ⁵⁰Hertog, M. G. L., Hollman, P. C. H., and Katan, M. B. **Content of potentially anticarcinogenic flavonoids of 28 vegetables and fruits commonly consumed in The Netherlands.**, 1992 J. Agric. Food Chem. 40 pp.2379-2383
- ⁵¹Lugasi, A. and Hovari, J. **Flavonoid aglycons in foods of plant origin II. Fresh and dried fruits.**, 2002 Acta Alimentaria 31 1 pp.63-71
- ⁵²Ribani, H. F., Huber, L. S., and Ridriguez-Amaya, D. B. **Flavonols in fresh and processed Brazilian fruits.**, 2009 J. Food Comp. Anal. 22 pp.263-268
- ⁵³Arai, Yusuke, Watanabe, S., Kimira, M., Shimoi, K., Mochizuki, R., and Kinae, N. **Dietary intakes of flavonols and isoflavones by Japanese women and inverse correlation between quercetin intake and plasma LDL cholesterol concentration**, 2000 J. Nutr. 130 pp.2243-2250
- ⁵⁴Hkkinen, S. H., Krenlampi, S. O., Mykknen, H. M., and Trnen, A. R. **Influence of domestic processing and storage on flavonol contents in berries.**, 2000 J. Agric. Food Chem. 48 pp.2960-2965
- ⁵⁵Hkkinen, S. H., Krenlampi, S. O., Heinonen, I. M., Mykknen, H. M., and Trnen, A. R. **Content of flavonols quercetin, myricetin, and kaempferol in edible berries.**, 1999 J. Agric. Food Chem. 47 pp.2274-2279
- ⁵⁶Jakobek L., eruga, M., Novak, I., and Medvidovic-Kosanovic, M. **Flavonols, phenolic acids and antioxidant activity of some red fruits.**, 2007 Deutsche Lebensmittel-Rundschau 103 pp.369-378
- ⁵⁷Justesen, U., Knuthsen, P., and Leth, T. **Quantitative analysis of flavonols, flavones, and flavonones in fruits, vegetables and beverages by high-performance liquid chromatography with photo-diode array and mass spectrometric detection.**, 1998 J. Chromatogr. A 799 pp.101-110
- ⁵⁸Kevers, C., Falkowski, M., Tabart, J., Defraigne, J-O., Dommes, J., and Pincemail, J. **Evolution of antioxidant capacity during storage of selected fruits and vegetables**, 2007 J. Agric. Food Chem. 55 pp.8596-8603
- ⁵⁹de Pascual-Teresa, S., Santos-Buelga, C., and Rivas-Gonzalo, J.C. **Quantitative analysis of flavan-3-ols in Spanish foodstuffs and beverages**, 2000 J. Agric. Food Chem. 48 pp.5331-5337
- ⁶⁰Gu, L., Kelm, M.A., Hammerstone, J.F., Beecher, G., Holden, J., Haytowitz, D., Gebhardt, S., and Prior, R.L. **Concentrations of proanthocyanidins in common foods and estimations of normal consumption**, 2004 J. Nutr. 134 pp.613-617
- ⁶¹Hellstrm, Trnen, A.R., and Matilla, P.H. **Proanthocyanidins in common food products of plant origin**, 2009 J. Agric. Food Chem. 57 pp.7899-7906
- ⁶²Mit-Riihinen, K. R., Kamal-Eldin, A., and Torronen, A.R. **Identification and classification of phenolic compounds in berries of Fragaria and Rubus species (family Rosaceae)**, 2004 J. Agric. Food Chem. 52 pp.6178-6187
- ⁶³Horn-Ross, P. L., Barnes, S., Lee, M., Coward, L., Mandel, E., Koo, J., John, E. M., and Smith, M. **Assesing phytoestrogen exposure in epidemiologic studies: development of a database (United States).**, 2000 Cancer Causes and Control 11 pp.289-298
- ⁶⁴Liggins, J., Bluck, L. J. C., Runswick, S., Atkinson, C., Coward, W. A., Bingham, S. A. **Daidzein and genistein content of fruits and nuts.**, 2000 J. Nutr. Biochem. 11 pp.326-331
- ⁶⁵Mazur, W. M., Uehara, M., Whl, K., and Adlercreutz, H. **Phyto-oestrogen content of berries, and plasma concentrations and urinary excretion of enterolactone after a single strawberry-meal in human subjects.**, 2000 Brit. J. Nutr. 83 pp.381-387
- ⁶⁶Thompson, L. U., Boucher, B. A., Liu, Z., Cotterchio, M., and Kreiger, N. **Phytoestrogen content of foods consumed in Canada, including isoflavones, lignans, and coumestan.**, 2006 Nutr. Cancer 54 pp.184-201

Footnotes

^a Value based on the analysis of 5-methyltetrahydrofolate

Langual Code(s)

- A0143 FRUIT OR FRUIT PRODUCT (US CFR)
- A1279 0900 FRUITS AND FRUIT JUICES (USDA SR)
- B1393 STRAWBERRY
- C0140 FRUIT, PEEL PRESENT, CORE, PIT OR SEED PRESENT

- E0150 WHOLE, NATURAL SHAPE
- F0003 NOT HEAT-TREATED
- G0003 COOKING METHOD NOT APPLICABLE
- H0003 NO TREATMENT APPLIED
- J0001 PRESERVATION METHOD NOT KNOWN
- K0003 NO PACKING MEDIUM USED
- M0001 CONTAINER OR WRAPPING NOT KNOWN
- N0001 FOOD CONTACT SURFACE NOT KNOWN
- P0024 HUMAN FOOD, NO AGE SPECIFICATION